

# Mammogram

A mammogram is an x-ray of your breast. It is the best way to detect breast cancer. You should have a yearly mammogram after age 40 or sooner if you have higher risks for breast cancer. Talk to your doctor about your risk factors.

**Arrive on time for your test.**

## To Prepare

- **Tell the staff before the test if there is a chance you may be pregnant.**
- Do not use deodorant, lotion or powder under your arms or on your breasts the day of your test.

## During the Test

- You need to undress from the waist up. You are given a paper gown to wear.
- You are asked to stand next to the machine.
- There are at least 2 x-rays taken of each breast.
- The person doing the test needs to touch and move your breast to get it in the right spot for each x-ray.
- Small sticky dots may be put on your nipples to help show them on your x-rays.
- Your breast is squeezed between 2 flat surfaces. This may hurt, but it does not harm your breasts.



# Pagsusuri sa Suso sa Pamamagitan ng Makina

Ang mammogram ay pag x-ray ng inyong suso. Ito ang pinaka-mahusay na paraan upang matuklasan ang kanser sa suso. Dapat kayong sumailalim sa mammogram taon-taon paglampas ng edad na 40 o sa lalong mas madaling panahon kung mataas ang panganib ninyo ng kanser sa suso. Kausapin ang inyong doktor tungkol sa inyong mga sanhi ng panganib.

**Pumunta sa itinakdang oras para sa inyong pagsusuri.**

## Upang Maghanda

- Sabihin sa mga tauhan bago ang pagsusuri kung maaaring kayo ay nagdadalang-tao.
- Huwag gumamit ng deodorant, losyon o polbo sa inyong kili-kili o sa inyong mga suso sa araw ng inyong pagsusuri.



## Habang isinasagawa ang Pagsusuri

- Kailangan ninyong maghubad mula baywang pataas. Bibigyan kayo ng papel na baro (paper gown) upang isuot.
- Patatayuin kayo sa tabi ng makina.
- May hindi bababa sa 2 x-ray ang kukunin sa magkabilang suso.
- Kailangang hawakan at galawin ng taong gumagawa ng pagsusuri ang inyong mga suso upang ilagay ito sa tamang puwesto para sa x-ray.
- Maaaring may ilagay na maliliit at malagkit na tuldok sa inyong mga utong upang makita ang mga ito sa inyong x-rays.
- Iipitin ang inyong suso sa pagitan ng dalawang patag na panig. Maaaring masakit ito, ngunit hindi ito makakapinsala sa inyong mga suso.

- You are told to take a deep breath and hold it while the x-ray is taken.
- Each x-ray takes less than 30 seconds.
- If you have breast implants, more x-rays will need to be taken and the test will take more time.

Test results are sent to your doctor. Your doctor will share the results with you.

**Talk to your doctor or nurse if you have any questions or concerns.**

7/2007. Developed through a partnership of Mount Carmel Health, Ohio State University Medical Center and OhioHealth, Columbus, Ohio. Available for use as a public service without copyright restrictions at [www.healthinfotranslations.org](http://www.healthinfotranslations.org).

- Pahihingain kayo ng malalim at pipigilang ilabas ang hininga habang kinukuha ang x-ray.
- Bawat x-ray ay magtatagal nang hindi lalampas sa 30 segundo.
- Kung mayroon kayong mga nailagay na bagay sa dibdib (implants), mas maraming x-rays ang kakailanganin at mas magtatagal ang pagsusuri.

Ang mga resulta ng pagsusuri ay ipapadala sa inyong doktor. Ibahagi sa inyo ng inyong doktor ang mga resulta.

**Kausapin ang inyong doktor o nars kung mayroon kayong mga katanungan o pag-aalala.**

7/2007. Developed through a partnership of Mount Carmel Health, Ohio State University Medical Center and OhioHealth, Columbus, Ohio. Available for use as a public service without copyright restrictions at [www.healthinfotranslations.org](http://www.healthinfotranslations.org).