


LEEP (Loop Electrosurgical Excision Procedure)

If your pap test was abnormal, you may need LEEP as a treatment. LEEP is done to remove tissue from the cervix.


Arrive on time for your treatment. It takes about 15-20 minutes. Plan on being here at least 1 hour.



LEEP (电圈切除术)

如果你的子宫颈抹片检查不正常，你可能需要用 LEEP 治疗。做 LEEP 是将组织从子宫颈切除。

请准时到达作治疗。治疗约需 15-20 分钟。请计划在此至少呆 1 个小时。



Your Treatment

- Your feet will be placed in stirrups. The doctor will use an instrument called a speculum that will be put into your vagina to keep it open. You may feel some pressure.
- Medicine is used to numb your cervix.
- A solution is put on your cervix to show abnormal cells.
- A magnifying instrument is used to get a close up view of your cervix.
- A fine wire loop is used to remove the abnormal tissue.
- The tissue will be sent to a lab for testing.

Your Care After Treatment

Your cervix should heal completely in a few weeks.

- Rest for the next 2 days.
- You may have some mild cramping.
- You may have some vaginal discharge for about 2 weeks. This is like having a period.

Do not use tampons, have sexual intercourse or douche for 4 weeks. This reduces your risk of bleeding and allows healing to occur.

Call your doctor **right away** if you have:

- Bleeding that soaks a pad in 1 hour
- Severe abdominal cramps or pain
- Chills or fever of 100.5 degrees F or 38 degrees C
- Vaginal discharge that has a foul odor
- Pain not controlled by over the counter pain medicine. Do not take aspirin.

Talk to your doctor or nurse if you have any questions or concerns.

你的治疗

- 你的双脚将放在脚蹬里。医生会将一个称为窥镜的工具放入你的阴道，使其保持打开状。你可能会感到一些压力。
- 会用药物麻醉子宫颈。
- 会将一种溶液涂在子宫颈上显示不正常的细胞。
- 会用一个放大镜工具仔细查看你的子宫颈。
- 会用一个精细电圈来切除不正常组织。
- 组织将送往化验室检查。

你的术后护理

你的子宫颈应该在几个星期后完全康复。

- 治疗后休息 2 天。
- 你可能会有一点轻微的腹痛。
- 阴道可能会有一些排出物约达 2 周。象是一次月经。

在 4 周内不要使用月经棉条、性交或进行阴道灌洗。这将减少出血的风险并促使痊愈。

如有下列症状，请**立刻**打电话给你的医生：

- 1 小时便浸透一张月经垫的出血
- 严重的腹部痉挛或腹痛
- 发寒或高于华氏 100.5 度或摄氏 38 度的发烧
- 阴道流出物有异味
- 柜台即买止痛药不能镇痛。不要服用阿司匹林。

有任何疑问或关注事宜，请告知你的医生或护士。