


Middle Ear Infection

Middle ear infection is called otitis media. This infection is caused when the fluid draining from your ear gets blocked. This may happen when you have a cold, allergy or the flu. The fluid build-up lets bacteria grow and puts pressure on your eardrum.

Signs

- Pain
- Fever
- Drainage
- Hearing loss



Your Care

- Your doctor will look at your ears and ask you about your signs.
- Antibiotic medicine may be ordered. Take all of your medicine as directed.
- You may use a heating pad on a **low** setting.
- Do not put anything in your ears including liquids, herbs or cotton-tipped applicators unless directed to by your doctor. They can block your ear canal, causing a loss of hearing or infection.

Call your doctor **right away** if you have:

- Pain
- Fever
- Drainage that gets worse
- Hearing loss


Talk to your doctor or nurse if you have any questions or concerns.

中耳炎

中耳感染稱為中耳炎。當您耳部的排液遭到阻塞時，這就引起感染。當您患感冒、過敏或流感時，可能會發生這一情形。液體積聚使細菌生長而使中耳承受壓力。

症狀

- 疼痛
- 發燒
- 有排出物
- 聽力喪失



您的醫療

- 您的醫生將查看您的雙耳並詢問您症狀。
- 可能會開抗菌素。按說明服完全部藥物。
- 使用電熱毯可能需低熱設定。
- 除非您的醫生要求，否則不要把任何東西放入您的耳中，包括液體、草藥或頂端敷棉花的塗藥籤。它們能阻塞您的耳管，造成失聰或發炎。

如有以下症狀，請立刻打電話給您的醫生：

- 疼痛
- 發燒
- 流出物情形惡化
- 聽力喪失

如果您有任何疑問或關注事項，請告知您的醫生或護士。

Middle Ear Infection. Traditional Chinese.

7/2005. Developed through a partnership of The Ohio State University Medical Center, Mount Carmel Health and OhioHealth, Columbus, Ohio. Available for use as a public service without copyright restrictions at www.healthinfotranslations.com.