

# Amniocentesis

Amniocentesis is a test of amniotic fluid. This fluid is around your baby in your uterus. The doctor will remove a small sample of the fluid with a needle. This test checks your baby for birth defects.

There are some risks with this test:


- A leak or infection of the amniotic fluid
- The needle touching the baby
- Early delivery
- Miscarriage

Talk to your doctor about these risks.

**Arrive on time for your test.** Plan on this test taking about 1 hour.

## During the Test

- You will wear a hospital gown.
- You lie on your back with your stomach uncovered.
- Your stomach is washed.
- Your doctor uses ultrasound to see your baby and find safe pockets of amniotic fluid. An ultrasound is a picture of your baby using sound waves.



# Амниоцентез

Амниоцентез – это анализ околоплодных вод. Эти воды окружают Вашего ребенка в матке. Врач отберет небольшой образец этих вод с помощью иглы. Этот анализ позволяет выявить врожденные дефекты Вашего ребенка.

Этот анализ сопряжен с некоторыми рисками:


- Утечка или заражение околоплодных вод
- Игла может коснуться ребенка
- Преждевременные роды
- Выкидыш

Поговорите с врачом об этих рисках.

**Пожалуйста, не опаздывайте на обследование.** Обследование займет около одного часа.

## Во время обследования

- Вам предложат надеть больничную одежду.
- Вы ляжете на спину с непокрытым животом.
- Ваш живот омоют.
- Ваш врач будет использовать ультразвуковой прибор для того, чтобы увидеть вашего ребенка и найти безопасные участки с околоплодными водами. Ультразвуковой прибор дает изображение Вашего ребенка с помощью звуковых волн.



- Your doctor may numb the skin where the needle goes in. You may feel a sting.
- When the needle enters the uterus, you may feel cramping.
- The doctor takes out a small sample of the fluid and removes the needle. The needle is in for less than 1 minute.
- A monitor is placed on your stomach for 15 to 30 minutes to check your baby's heartbeat.
- Your doctor will get your test results in about 2 weeks. Your doctor will share the results with you.

### **After the Test**

- Rest at home today.
- Drink plenty of liquids.
- If you have cramping, lie on your left side.

Call your doctor **right away** if you have:

- Severe cramping
- Fluid leaking from the vagina
- Bleeding from the vagina
- Fever
- Your baby is less active
- Other concerns

**Talk to your doctor or nurse if you have any questions or concerns.**

© Copyright 2005 – 1/2010 Health Information Translations All Rights Reserved

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

- Ваш доктор может обезболить участок кожи, в который будет вводиться игла. Вы можете почувствовать острую боль.
- В момент, когда игла войдет в матку, Вы можете почувствовать схватку.
- Врач отберет небольшой образец вод и вытащит иглу. Игла будет находиться в матке меньше одной минуты.
- На Ваш живот на 15 – 30 минут будет помещен монитор для проверки сердцебиения Вашего ребенка.
- Ваш врач получит результаты анализа приблизительно через две недели. Ваш врач разъяснит Вам результаты обследования.

### **После обследования**

- Отдохните дома в течение сегодняшнего дня.
- Пейте много жидкости.
- Если Вы почувствуете схватки, лягте на левый бок.

### **Немедленно позвоните своему врачу, если у Вас:**

- Сильные схватки
- Жидкие выделения из влагалища
- Выделения крови из влагалища
- Повышенная температура
- Ваш ребенок менее активен
- Другие опасения

**Если у Вас есть какие-либо вопросы или опасения, обратитесь к Вашему врачу или медсестре.**

© Copyright 2005 – 1/2010 Health Information Translations All Rights Reserved

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Amniocentesis. Russian