

# Amniocentesis

Amniocentesis is a test of amniotic fluid. This fluid is around your baby in your uterus. The doctor will remove a small sample of the fluid with a needle. This test checks your baby for birth defects.

There are some risks with this test:


- A leak or infection of the amniotic fluid
- The needle touching the baby
- Early delivery
- Miscarriage

Talk to your doctor about these risks.

**Arrive on time for your test.** Plan on this test taking about 1 hour.

## During the Test

- You will wear a hospital gown.
- You lie on your back with your stomach uncovered.
- Your stomach is washed.
- Your doctor uses ultrasound to see your baby and find safe pockets of amniotic fluid. An ultrasound is a picture of your baby using sound waves.



# Baaritaanka Dheecaanka Uur-jiifka ku Hareereysan (Amniocentesis)

Amniocentesis waa baaritaanka dheecaanka amniotic. Dheecaankaan wuxuu ku hareereysan yahay ilmuhu markuu ilmo galeenkaaga ku jiro. Dhakhtarku wuxuu muunad yar ee dheecaanka ku soo saari doonaa irbad. Baaritaankaan wuxuu ilmahaaga ka hubinayaa cillado lagu dhasho.

Waxaa jira qaddar halis ah oo uu baaritaankaanu leeyahay.


- Soo dusid ama cudur qaadidda dheecaanka amniotic
- Irbadda oo ilmaha taabata
- Dhalmo waqti hore ah
- Dhicis

Kala hadal takhtarkaaga halisyadaas.

**Baaritaanka waqtiga ku imow.** Qorsheyso in baaritaankaanu uu qaadan doono ilaa 1 saac.

## Waqtiga Baaritaanka

- Waxaad xidhan doontaa goonnada isbitaalka.
- Geddi cad ayaad u seexan doontaa iyadoon calooshaada wax dhar ah saarnayn.
- Caloosha ayaa lagaa dhaqayaa.
- Dhakhtarkaagu wuxuu isticmaalayaa ultrasound (altarasownd) si uu u eego ilmahaaga una helo meelo ammaan ah oo dheecaanka amniotic uu ku jiro. Altarasownd waa sawirka ilmahaaga iyadoo la isticmaalayo mowjado jabaq ah.



- Your doctor may numb the skin where the needle goes in. You may feel a sting.
- When the needle enters the uterus, you may feel cramping.
- The doctor takes out a small sample of the fluid and removes the needle. The needle is in for less than 1 minute.
- A monitor is placed on your stomach for 15 to 30 minutes to check your baby's heartbeat.

Your doctor will get your test results in about 2 weeks. Your doctor will share the results with you

### **After the Test**

- Rest at home today.
- Drink plenty of liquids.
- If you have cramping, lie on your left side.

- Dhakhtarkaagu waxaa laga yaabaa inuu jidhka meesha uu irbadda kaa gelinayo kaa kabuubiyo. Waxaa laga yaabaa in aad xanuun dareento.
- Marka ay irbaddu gasho ilmo galeenka, waxaa laga yaabaa in aad casiraad dareento.
- Dhakhtarku wuxuu soo qaadayaa muunad yar oo dheecaanka ah ka dibna wuxuu kaa soo saarayaa irbadda. Irbaddu waxay kugu jiraysaa wax ka 1 daqiiqo ka yar.
- Shaashad ayaa la dhigayaa calooshaada dusheeda ilaa 15 illaa 30 daqiiqadood si loo hubiyo garaaca wadnaha ilmahaaga.

Dhakhtarkaagu wuxuu natiijada baaritaankaaga ku heli doonaa ilaa 2 toddobaad gudahooda. Dhakhtarkaagu adiga ayuu natiijada kula wadaagi doonaa.

### **Baaritaanka kadib**

- Maanta guriga ku naso.
- Cab dareereyaal fara badan.
- Haddii ay casiraad ku hayso, dhinacaaga bidixe u seexo.

Call your doctor **right away** if you have:

- Severe cramping
- Fluid leaking from the vagina
- Bleeding from the vagina
- Fever
- Your baby is less active
- Other concerns

**Talk to your doctor or nurse if you have any questions or concerns.**

© Copyright 2005 – 1/2010 Health Information Translations All Rights Reserved

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

**Isla markiiba** dhakhtarka u yeer haddii aad qabtid:

- Casiraad daran
- Dheecaan ka soo dusaya hoosta
- Dhiig bax hoostaada ka imaanaya
- Qandho
- Ilmahaagu uusan dhaq-dhaqaaqayn
- Wel-wello kale

**U sheeg dhakhtarkaaga ama kalkaaliyaha haddii wax su'aalo ah ama walaac ah aad qabtid.**

© Copyright 2005 – 1/2010 Health Information Translations All Rights Reserved

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Amniocentesis. Somali