

# Biopsy

A biopsy is the removal of pieces of tissue, which are then sent to a lab for testing. A biopsy may be done during surgery to check for cancer or other problems. Any part of the body, such as the skin, an organ or a lump can be tested. An x-ray, CT scan or ultrasound may be done to locate the biopsy site. Your doctor will review the results of your biopsy with you at your next visit and talk to you about treatment if needed.

**If you have any allergies to medicines, foods or other things, tell the staff before the test.**

**If you are pregnant or think you might be, tell the staff before the test.**

**Arrive on time for your test.** You may be told to arrive 30 minutes before your appointment time.

## To Prepare

- Do not take aspirin or ibuprofen (Advil, Motrin) for one week before the biopsy.
- Check with your doctor about taking your medicines including prescription and over the counter medicines, herbals, vitamins and other supplements.

## During the Test

- You will lie on a table and may wear a hospital gown.
- An x-ray, CT scan or ultrasound may be done to locate the biopsy site.
- The site is cleaned.

# बायॉप्सी

बायॉप्सी का अर्थ ऊतक (टिशू) के टुकड़ों को निकालना है, जिन्हें फिर जाँच के लिए लैबोरेटरी में भेजा जाता है। शल्य चिकित्सा के दौरान बायॉप्सी कैंसर या अन्य समस्याओं की जाँच करने के लिए की जा सकती है। शरीर के किसी भी भाग, जैसे त्वचा, कोई अंग या किसी गाँठ की जाँच की जा सकती है। बायॉप्सी के स्थल का पता लगाने के लिए एक्स-रे, सीटी स्कैन या अल्ट्रासाउंड किया जा सकता है। सर्जरी के दौरान बायॉप्सी की जा सकती है। आपका/आपकी डाक्टर अगली मुलाकात में आपकी बायॉप्सी के परिणामों की आपके साथ समीक्षा करेगा/करेगी और अगर उपचार की जरूरत होगी तो इसके बारे में आपसे बात करेगा/करेगी।

**यदि आपको दवाओं, खाद्य-पदार्थों या अन्य चीजों से एलर्जी है, तो जाँच के पहले स्टाफ को बता दें।**

**यदि आप गर्भवती हैं, या आपको लगता है कि आप हो सकती हैं, तो जाँच के पहले स्टाफ को बता दें।**

**जाँच के लिए समय पर पहुंचें।** आपसे अपाइंटमेंट समय से 30 मिनट पहले आने को कहा जा सकता है।

## तैयारी करना

- बायॉप्सी के एक सप्ताह पहले से एस्पिरिन या आइबूप्रोफेन (एडविल, मोट्रिन) न लें।
- अपनी दवाएँ लेने के बारे में अपने चिकित्सक से सलाह लें, जिसमें नुस्खे वाली दवाएँ, नुस्खे के बिना काउंटर से मिलने वाली दवाएँ, हर्बल दवाएँ, विटामिन और अन्य अनुपूरक शामिल हैं।

## जाँच के दौरान

- आप एक मेज पर लेटेंगे/लेटेंगी और आपको अस्पताल का गाउन पहनना पड़ सकता है।
- बायॉप्सी स्थल का पता लगाने के लिए एक्स-रे, सीटी स्कैन या अल्ट्रासाउंड किया जा सकता है।
- उस स्थल को साफ किया जाता है।

- Numbing medicine is put into the skin. This may sting.
- When the site is numb, a small needle is put into the area to be tested. Tissues and cells are removed. In some cases a small incision is made so that tissue or a lump can be removed and tested.
- If you feel any discomfort, tell the doctor.
- Pressure is applied, then a bandage. If an incision was made, you may have stitches.

### **After the Test**

- You may have bruising, discomfort or swelling at the biopsy site.
- If needed, use over the counter pain medicine that does not contain aspirin.
- Apply an ice pack to the site as needed for the first 24 hours to reduce swelling and bruising. Do not apply ice directly to the skin. Wrap the ice pack in a pillowcase or towel. Apply the ice for 15 minutes every hour.
- Avoid strenuous activity and lifting over 5 pounds for 24 hours. You may resume normal activities unless otherwise instructed.
- Test results are sent to your doctor. Your doctor will share the results with you.

### **Call your doctor if you have:**

- Bleeding, drainage, increased swelling, redness or warmth at the site
- Pain not relieved by over the counter pain medicine

### **Talk to the staff if you have any questions or concerns.**

2007 – 11/2011 Health Information Translations

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

- त्वचा में सुन्न करने वाली दवा डाली जाती है। इससे डंक लगने जैसा दर्द हो सकता है।
- जब स्थल सुन्न हो जाता है तो जांच वाले भाग में एक छोटी सुई डाली जाती है। ऊतक और कोशिकाएं निकाली जाती हैं। कुछ मामलों में जांच के लिए ऊतक या गांठ निकालने के लिए एक छोटा चीरा लगाया जाता है।
- यदि आपको कोई तकलीफ हो, तो डॉक्टर को बताएं।
- दबाकर पट्टी की जाती है। यदि चीरा लगाया गया हो, तो टांके लगाने पड़ सकते हैं।

## जांच के बाद

- आपको बायोप्सी के स्थल पर नील, असुविधा या सूजन हो सकती है।
- यदि जरूरत हो तो आप बिना नुस्खे के बिकने वाली ऐसी दर्दनिवारक दवा ले सकती हैं जिसमें एस्पिरिन न हो।
- जरूरत के मुताबिक पहले 24 घंटों के लिए सूजन और नील कम करने के लिए उस स्थल पर बर्फ की थैली रखें। त्वचा पर सीधे बर्फ न लगाएं। बर्फ की थैली को तकिए के गिलाफ या तौलिए में लपेटें। प्रत्येक घंटे में 15 मिनट तक बर्फ लगाएं।
- मेहनत वाली गतिविधियों और 5 पौंड से अधिक वजन उठाने से 24 घंटे तक बचें। यदि अन्य कोई निर्देश न हों तो आप सामान्य गतिविधियां शुरू कर सकते हैं।
- जांच के परिणाम आपके डॉक्टर को भेज दिए जाते हैं। आपके डॉक्टर परिणामों को आपके साथ साझा करेंगे।

## यदि ऐसा हो तो अपने डॉक्टर को फोन करे:

- बायोप्सी स्थल से खून बहना, सूजन, लाली, गर्मी या रिसाव बढ़ना
- बिना नुस्खे के बिकने वाली दवा से दर्द कम न होना

## यदि आपको कोई प्रश्न या चिंताएं हों तो स्टाफ से बात करें।

2007 – 11/2011 Health Information Translations

Unless otherwise stated, user may print or download information from [www.healthinfotranslations.org](http://www.healthinfotranslations.org) for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Biopsy. Hindi.