


Middle Ear Infection

Middle ear infection is called otitis media. This infection occurs when germs get into the middle ear and the area fills with fluid. Germs from a cold or flu can lead to a middle ear infection. Fluid build-up in the middle ear can put pressure on your eardrum causing pain or other signs.



Signs


- Pain
- Fever
- Drainage
- Hearing loss

Your Care

- Your doctor will ask you about your signs and check your ears.
- If your infection is caused by germs, antibiotic medicine may be ordered. Take all of your medicine as directed.
- You may use a heating pad on a **low** setting.
- **Do not** put anything in your ears including liquids, herbs or cotton-tipped applicators unless directed to by your doctor. They can block your ear canal, causing a loss of hearing or infection.

中耳炎

中耳炎 (middle ear infection) は、otitis media と呼ばれます。この炎症は、細菌が中耳に入り、中耳に体液が溜まることで発症します。風邪をひいたり、またはインフルエンザにかかったときに発症することがあります。体液が溜まると鼓膜にかかる圧がかかり痛みなどの症状が現れることがあります。



症状

- 痛み
- 発熱
- 耳垂れ
- 難聴

注意

- 医師が症状を尋ね、耳を検査します。
- 細菌性の炎症であれば、抗生剤を処方する場合があります。指示されたとおりに薬をすべて飲んでください。
- 湿布を低温にしてあてる場合があります。
- 貴方の医師による指示がない限り、液体、ハーブ、綿棒を耳の中に入れてください。耳道をふさぎ、難聴や感染の原因になる恐れがあります。

Call your doctor right away if you have:

- Pain that gets worse
- Fever that gets higher or does not go away
- Drainage that gets worse
- Hearing loss

Talk to your doctor or nurse if you have any questions or concerns.

2005 – 5/2010 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

以下の症状が現れた場合は直ちに主治医に連絡してください。

- 痛みの悪化
- 高熱または熱が続く場合
- 耳垂れの悪化
- 難聴

質問や不明な事項については、主治医または看護師にご相談ください。

2005 – 5/2010 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Middle Ear Infection. Japanese.