

Stages of Labor

As you near the birth of your baby, it is helpful to learn about the 3 stages of labor.

The First Stage of Labor

The first stage is the start of labor and lasts until the cervix is fully open at 10 centimeters. This is the longest stage of labor and can last 12 to 17 hours.

This stage is divided into early labor, active labor and transition.

1. During **early labor**, the cervix dilates from 0 to 3 centimeters. Contractions may last 30 to 60 seconds and occur every 5 to 20 minutes. There may be a pink, slightly bloody or mucous discharge from the vagina. Backache, nausea and diarrhea may also occur.
2. During **active labor**, the cervix dilates to about 7 centimeters. Contractions become stronger and longer, lasting about 1 minute and repeating every 2 to 4 minutes. Pain medicine may be given at this time.
3. During **transition**, the cervix dilates to 10 centimeters. Contractions are stronger and occur more often. Intense pressure in the lower back and rectum may be felt.

What you can do:

Relax between contractions. Use the breathing or relaxation techniques you learned in childbirth classes or ask your nurse for help. Do not push until you are told to do so.

What your partner can do:

Encourage and comfort. During early labor, help her change positions every 1 to 2 hours. Provide ice chips and lip balm. Use touch and massage. Use encouraging words.

Heerarka Foosha

Marka uu hadba soo dhawaado dhalashada ilmahaagu, waxa fiican oo gargaar leh in aad wax ka baratid 3-da heer ee foosha.

Heerka Koobaad ee Foosha

Heerka koobaad waa bilawga foosha waxana uu socdaa ilaa afka ilmo-galeenku si buuxda u furmayo taasoo ah 10 sentimitir. Tan meewaa foola inkadheer oo qaadada korta 12 ilaa 17 saacadood.

Heerkan waxa loo kala qaybin karaa foosha hore, foosha firfircoon iyo kala-guurka.

1. Madi **foola in kahoreyta** dhitooda mey winada korta 0 ilaa 3cm. Isku imadowga mey gaara kore 30 ilaa 60 ilbiriqsi meyna dhi a kore 5 ilaa 20 dakiika marwalba. Waxa laga yaabaa in dheecaan casaan ah, dhiig leh ama xab ah uu ka yimaado hoos. Waxa kale oo laga yaabaa in dhabar-xanuun, lallabo iyo shuban uu yimaado.
2. Madii **foola shitooda** mey wiinaadaasee 7cm. Isku imaantinka ya xoog lahaddee oona dahee 1 dakiika oonaso lalabadee 2 ilaa 4 dhakiika. Waxa laga yaabaa in dawada xanuunka wakhtigan lagu siiyo.
3. Madii **wax dhacaayan** shitooda winaadaase 10cm. Fool-qabashooyinku way ka sii xoog badan yihiin waxana ay dhacaan marrar ka sii badan intii hore. Waxa laga yaabaa in cadaadis weyn laga dareemo dhabarka dambe iyo malawadka.

Waxa aad sameyn kartid:

Is dabci inta u dhexeysa fool-qabashooyinka. Isticmaal tabaha neefsashada ama isdabcinta ee aad ku baratay fasalada dhalmada ama gargaar weydiiso kalkaalisadaada. Ha riixin ilaa lagu sheego inaad sidaa sameysid.

Waxa wehelkaagu sameyn karo:

Dhiirigali oo deji. Madii fooladaasa kacaawi ini bilaanta booska lin badalo 1 ilaa 2 saacadood. Sii qaybo ah baraf iyo labeenta dibnaha. Isticmaal ereyo dhiirigalin leh. Isticmaal ereyo dhiirigalin leh.

The Second Stage of Labor

The second stage begins when the cervix is fully open and lasts until the baby is delivered, about 1 to 2 hours. During this time, staff will tell you when you can push and help support your body as you deliver your baby.

What you can do:

You will be encouraged to push with each contraction. You may be told to push more gently or to stop pushing at times.

What your partner can do:

Support her body during delivery. Encourage her and help her count while pushing.

The Third Stage of Labor

The third stage is the delivery of the afterbirth called the placenta. This is the shortest stage of labor, lasting 15 to 20 minutes.

What you and your partner can do:

Relax and enjoy this time with your baby.

Talk to the staff if you have any questions or concerns at any time during labor and delivery.

Heerka Labaad ee Foosha

Talabada lamad mey bilaawdaase madi shidooda si feela inis furto oo unuga kaboho 1 ilaa 2 saacadood. Inta lagu jiro wakhtigan, shaqaalaha ayaa kuu sheegi doona goorta aad riixi kartid isla markaana gargaar ka geysan kara taageeridda jidhkaaga marka aad dhalaysid ilmahaaga.

Waxa aad sameyn kartid:

Waxa lagugu dhiirigalin doonaa in aad riixid la sameysid foolqabasho kasta. Waxa laga yaabaa in lagu sheego in aad si tartiib ah u riixdid ama aad joojisid riixidda marmarka qaarkood.

Waxa wehelkaagu sameyn karo:

Taageer jidhkeeda inta lagu jiro dhalista. Dhiirigali oo ka gargaar tirinta inta ay riixayso.

Heerka Saddexaad ee Foosha

Heerka saddexaad waa soo-bixista mandheerta ka dib dhalmada. Tan meewaa foola inkayar oo 15 ilaa 20 dakiika qaadadaasa.

Waxa adiga iyo wehelkaagu sameyn kartaan:

Neefsoow oona raxeysoow unugaa.

La hadal shaqaalaha haddii aad qabtid wax su'aalo ama walaac ah wakhti kasta inta foosha iyo dhalista lagu jiro.

2007 – 1/2012 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. Wexner Medical Center at The Ohio State University, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Stages of Labor. Somali.