

Stool Test for Ova and Parasite (O&P)

This test looks for parasites and their ova or eggs in the digestive tract by checking a sample of stool in a lab. A parasite lives on or inside another organism. Treatment will be based on the type of parasite that is found.

Parasites enter the body through the mouth or skin. Most people become infected by drinking water or eating food that has parasites. Most parasites are too small to be seen and cannot be tasted or smelled in water or food. Parasites may get into the body through the skin or enter from bites of infected insects.

Signs

The most common signs are:

- Diarrhea
- Bloody diarrhea
- Mucous in stool
- Abdominal pain or cramping
- Gas
- Nausea
- Headaches
- Fever

See your doctor as soon as you have signs. He or she may recommend that you have an O&P test to check for parasites.

اختبار البراز للكشف عن البويضات والطفيليات (O&P)

الهدف من هذا الاختبار هو البحث عن الطفيليات وبويضاتها في الجهاز الهضمي من خلال فحص عينة من البراز في المعمل. هذا وتعيش الطفيليات على كائن حي آخر أو بداخله. وسوف يعتمد العلاج على نوع الطفيلي الذي يتم اكتشافه.

تدخل الطفيليات إلى الجسم عبر الفم أو الجلد. وتنتقل الإصابة إلى معظم الأشخاص من خلال شرب الماء أو تناول الطعام الذي يحتوي على الطفيليات. ويكون معظم هذه الطفيليات صغير جداً لدرجة أننا لا نستطيع رؤيتها ولا الشعور بمذاقها أو رائحتها في الماء أو الطعام. وقد تدخل الطفيليات إلى داخل الجسم من خلال الجلد أو من خلال لدغات الحشرات الحاملة لها.

الأعراض

تتمثل الأعراض الأكثر شيوعاً فيما يلي:

- الإسهال
- الإسهال الدموي
- وجود مخاط في البراز
- ألم أو انقباضات في البطن
- الغازات
- الغثيان
- الصداع
- الحمى

يرجى زيارة طبيبك بمجرد ظهور الأعراض عليك. وقد يوصيك بدوره بالقيام بإجراء اختبار O&P للتحقق من وجود الطفيليات.

O&P Test

You will need to collect _____ stool samples. Collect each sample from a different bowel movement over one or more days.

- You may be given a plastic tray to use in your toilet to collect your stool. If you do not get a tray, cover the toilet bowl with plastic wrap, like Saran. Loosely place the plastic wrap over the toilet bowl and hold it in place with the toilet seat so your stool does not get into the water of the toilet.
- **Do not** get urine, water or toilet paper in the stool sample.
- Put part of the stool sample in a clean container. Wash your hands.
- Follow these directions **if checked (✓)**:
 - Put your sample into a special container with fluid. Keep the fluid away from children and pets and handle it carefully. **The fluid is a poison.**
 - Keep your sample in the container in the refrigerator until you can take it to the doctor's office or lab.
 - Take the sample to the doctor's office.
 - Take the sample to the lab at:

Your Care

If you have parasites, your treatment may include taking medicine and drinking large amounts of liquids to prevent dehydration.

اختبار O&P

سيكون عليك جمع _____ عينة براز. وينبغي الحصول على كل عينة من عملية تبرز مختلفة على مدار يوم أو أكثر.

- سوف يتم إعطاؤك صينية من البلاستيك لتستخدمها في المراض من أجل جمع عينات البراز. وإذا لم تحصل على صينية، فعليك بتغطية المراض بغطاء بلاستيكي، مثل ماركة ساران. ضع الغطاء البلاستيكي بحيث يكون مرتخياً على المراض وثبته في موضعه بمقعد المراض حتى لا يدخل البراز في ماء المراض.
- تجنب الإتيان ببول أو ماء أو ورق مرحاض في عينة البراز.
- ضع جزءاً من عينة البراز في حاوية نظيفة. واغسل يديك.
- اتبع هذه التوجيهات إذا تم التأشير عليها بعلامة (✓):

ضع العينة الخاصة بك في حاوية خاصة مع سائل. احفظ هذا السائل بعيداً عن تناول الأطفال والحيوانات الأليفة وتعامل معه بحرص. فهذا السائل عبارة عن سم.

احفظ العينة الخاصة بك في الحاوية بالثلاجة إلى أن تتمكن من أخذها إلى عيادة الطبيب أو المعمل.

خذ العينة إلى عيادة الطبيب.

خذ العينة إلى المعمل في:

الرعاية

إذا كان لديك طفيليات، فقد يتضمن علاجك تناول الدواء وشرب كميات كبيرة من السوائل للوقاية من الجفاف.

How to Prevent Parasites

- Avoid food and water that may have parasites.
- Wash your hands often. Wash them before and after eating, and after using the toilet. This will help protect you and prevent the spread of parasites to others.

Talk to your doctor or nurse if you have any questions or concerns.

2005 – 1/2011 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

طرق الوقاية من الطفيليات

- تجنب الطعام والماء الذي قد يحتوي على طفيليات.
 - اغسل اليدين مراراً وتكراراً. ويجب الالتزام بغسلهما قبل الأكل وبعده، وأيضاً بعد استخدام المراحيض. فهذا من شأنه توفير الوقاية لك ومنع انتشار الطفيليات إلى أشخاص آخرين.
- تحدث إلى الطبيب أو الممرض/الممرضة إذا كان لديك أي استفسارات أو ساورتك أي مخاوف.

2005 – 1/2011 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Stool Test OP. Arabic.