

Thyroid Scan

A thyroid scan checks your thyroid gland for problems. The thyroid gland is located in your neck. It speeds up or slows down most body functions. You will be asked to swallow a pill that contains a small amount of radioactive iodine for this test. There are no side effects from taking this pill.

This test has 3 parts. You will be given 3 appointment times. **Arrive on time for each part of the test.**

If you have any allergies to medicines, foods or other things, tell the staff before the test.

If you are **breastfeeding, pregnant or think you might be**, tell the staff before the scan. **For women of childbearing years**, a pregnancy test is done before the scan.

To Prepare

- **Do not** take multi-vitamins that contain iodine for 4 weeks before the test.
- If you are taking thyroid medicine, ask your doctor when you need to stop taking it before the test.
- **Do not** eat or drink anything, including water, after midnight before the test and for 2 hours after you take the pill.
- Ask your doctor if you should take your medicines the day of the test. If so, take with sips of water only.

Scanner de la thyroïde

Un scanner de la thyroïde permet de vérifier s'il y a des problèmes au niveau de votre glande thyroïde. La glande thyroïde est située au niveau de votre cou. Elle permet d'accélérer ou de ralentir la plupart de vos fonctions corporelles. Pour cet examen, on vous demandera d'avaler une pilule contenant une petite quantité d'iode radioactif. La prise de cette pilule n'entraîne aucun effet indésirable.

Cet examen est divisé en 3 parties. Vous devrez prendre 3 rendez-vous.
Arrivez à l'heure à chaque rendez-vous.

Si vous êtes allergique à des médicaments, de la nourriture ou à d'autres choses, informez le personnel médical avant l'examen.

Si vous **allaitez, êtes enceinte ou pensez l'être**, informez le personnel médical avant de passer le scanner. Pour **les femmes en âge de procréer**, un test de grossesse est effectué avant de passer le scanner.

Préparation

- **Ne prenez pas** de multi vitamines contenant de l'iode pendant les 4 semaines précédant l'examen.
- Si vous prenez un traitement pour la thyroïde, demandez à votre médecin à quel moment vous devez arrêter de le prendre avant l'examen.
- **Ne mangez et ne buvez rien**, y compris de l'eau, après minuit avant l'examen et pendant les 2 heures suivant la prise de la pilule.
- Demandez à votre médecin si vous devez prendre vos médicaments le jour de l'examen. Si c'est le cas, prenez-les avec des petites gorgées d'eau uniquement.

Your Appointments

Part One:

Your test is at _____ morning/afternoon
Time

on _____, 20_____.
Month Day Year

You are told about the test and given a pill to swallow.

Part Two

Your test is at _____ morning/afternoon
Time

on _____, 20_____.
Month Day Year

About 6 hours later, you return to have a small blood sample taken from your arm to measure the amount of radioactivity in your thyroid gland. You may wait at home between parts one and two.

Part Three


Your test is at _____ morning/afternoon
Time

on _____, 20_____.
Month Day Year

The next day, you have blood taken again. A scan of your thyroid gland is done. You will lie down for the scan. This takes about 1 hour.

Test results are sent to your doctor. Your doctor will share the results with you.


Talk to your doctor or nurse if you have any questions or concerns.



Le lendemain, on vous fait à nouveau une analyse de sang. Le scanner de votre glande thyroïde est effectué. Vous serez allongé(e) pendant le scanner. Cet examen dure environ 1 heure.

Les résultats de l'examen seront envoyés à votre médecin. Ce dernier les commentera avec vous.

Parlez à votre médecin ou à votre infirmière si vous avez des questions ou des inquiétudes.



2005 – 2/2011 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Thyroid Scan. French.