

Warning!

If you are taking any medicines on this list, you need to **call 211 or your doctor right away.**

- Digoxin – a heart medicine
- Probenecid – for gout
- Diabetes medicines, insulin or pills
- Rifampin – for tuberculosis
- Coumadin or warfarin – blood thinner
- Accutane – for acne
- Theophylline – a breathing medicine
- Dilantin, barbiturates, or carbamazepine – seizure medicines
- Lithium – for mental health
- Cyclosporine – for immune system problems
- Methotrexate – for arthritis, cancer, psoriasis or lupus
- Requip – for Parkinson’s disease

Taking the emergency antibiotics with any of these medicines may cause serious, even life threatening, side effects.

Your doctor may want to change the medicine or the amount you take, or the doctor may want you to have more tests.

警告！

如果您正在服用此清单上列出的药物，您需要**立即打电话211或打电话给您的医生**。

- Digoxin – 心脏药物
- Probenecid – 治疗痛风的药物
- 糖尿病药物，胰岛素或药丸
- Rifampin – 治疗结核病的药物
- Coumadin或warfarin – 血液稀释药
- Accutane – 痤疮治疗药物
- Theophylline – 呼吸药物
- Dilantin、barbiturates或carbamazepine – 治疗癫痫的药物
- Lithium – 精神药物
- Cyclosporine – 免疫系统药物
- Methotrexate – 关节炎、癌症、银屑病或狼疮药物
- Requip – 帕金森病药物

如果上述任何药物与日常应急用的抗生素同时使用，可能导致严重或甚至有生命危险的副作用。

医生可能会调整您使用的药物种类或剂量，或要求您接受更多的测试。