

When Should I Call My Baby's Doctor?

Call 911 if your baby turns blue or has trouble breathing.

Call your baby's doctor if your baby has any of the following:

- Cries non-stop for several hours or is more irritable and soothing does not stop crying
- A temperature above 100.4 degrees Fahrenheit checked under the arm for babies older than 2 months, or rectally for babies less than 2 months of age.
- Frequent discharge from the eyes
- A hard time breathing
- Yellowing or rash on the skin that gets worse
- Redness, discharge or a foul smell from a healing umbilical cord or circumcision area
- Breastfeeding less often or taking less formula for more than 8 hours
- Green vomit or vomiting after more than 2 feedings in a row
- Hard to wake up
- Fewer than 6 to 8 wet diapers in 24 hours
- Change in stool patterns, constipation or diarrhea
- Cough that will not go away, especially if there is a rash
- Poor muscle control or baby feels floppy when held
- Convulsions or seizures

Kada trebam nazvati bebinog ljeakara?

Nazovite 911 ako koža vaše bebe poplavi ili ako teško diše.

Nazovite bebinog ljeakara ako vaša beba ima bilo koji od slijedećih simptoma:

- Neprekidno plače satima ili je razdražljiva nego inače, a ne prestaje plakati ni nakon umirivanja.
- Ima temperaturu iznad 100,4 stepeni Fahrenheita (38 stepeni Celzijusa); bebama starijim od dva mjeseca temperatura se mjeri ispod pazuha, ili rektalno ukoliko je beba mlađa od dva mjeseca.
- Često krmelja.
- Teško diše.
- Ima žutilo ili osip kože koji se pogoršava.
- Crvenilo, iscjedak ili neugodan miris pupčane vrpce ili obrezanog mjesta.
- Beba rjeđe siše majčino mlijeko ili pije manje formule već više od 8 sati.
- Povraća zeleni sadržaj ili povraća nakon više od dva uzastopna obroka.
- Teško ju je probuditi.
- Mijenjate joj pelene manje od 6-8 puta u roku od 24 sata.
- Promjena stolice, odnosno beba ima konstipaciju (zatvor) ili proliv.
- Kašalj koji ne prestaje, naročito ako je popraćen osipom.
- Slaba mišićna kontrola ili se čini da je beba previše opuštena kad je uzmete u naručje.
- Ima grčeve ili napade.

If you have any concerns about your baby's health, call your baby's doctor, family doctor or health clinic. Never be shy about calling the doctor's office. Often talking to your baby's doctor or nurse will help you decide if your baby needs medical care. When you call the doctor, have written down:

- What is wrong with your baby and when the signs started
- Your baby's temperature
- Any allergies your baby has to food, medicine or environment
- The name and phone number of your pharmacy

Keep a paper and pen nearby to write down the doctor's instructions.

2007 – 1/2012 Health Information Translations

Unless otherwise stated, user may or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with print your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. Wexner Medical Center at The Ohio State University, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Ukoliko osjećate bilo kakvu zabrinutost za bebino zdravlje, nazovite bebinog ljekara, porodičnog ljekara ili zdravstvenu ustanovu. Nikada se nemojte stidjeti da nazovete ljekara. Često će vam razgovor sa bebinim ljekarom ili medicinskom sestrom pomoći da odlučite da li je bebi potrebna zdravstvena njega. Kada nazovete ljekara, zapišite:

- Šta nije u redu sa vašom bebom i kada ste počeli primjećivati prve znakove
- Temperaturu vaše bebe
- Bilo kakve alergije koje vaša beba ima na hranu, lijekove ili okolinu
- Naziv i broj telefona vaše apoteke

Pripremite papir i olovku da zapišete uputstva koja dobijete od ljekara.

2007 – 1/2012 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. Wexner Medical Center at The Ohio State University, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

When Should I Call My Baby's Doctor? Bosnian.