

When Should I Call My Baby's Doctor?

Call 911 if your baby turns blue or has trouble breathing.

Call your baby's doctor if your baby has any of the following:

- Cries non-stop for several hours or is more irritable and soothing does not stop crying
- A temperature above 100.4 degrees Fahrenheit checked under the arm for babies older than 2 months, or rectally for babies less than 2 months of age
- Frequent discharge from the eyes
- A hard time breathing
- Yellowing or rash on the skin that gets worse
- Redness, discharge or a foul smell from a healing umbilical cord or circumcision area
- Breastfeeding less often or taking less formula for more than 8 hours
- Green vomit or vomiting after more than 2 feedings in a row
- Hard to wake up
- Fewer than 6 to 8 wet diapers in 24 hours
- Change in stool patterns, constipation or diarrhea
- Cough that will not go away, especially if there is a rash
- Poor muscle control or baby feels floppy when held
- Convulsions or seizures

Quand dois-je appeler le pédiatre ?

Appelez le 911 si le bébé devient bleu ou peine à respirer.

Appelez le pédiatre si votre bébé présente un des symptômes suivants :

- Des pleurs continus depuis plusieurs heures ou une plus grande irritabilité où les câlins n'apaisent pas les larmes
- Une température supérieure à 100,4 degrés Fahrenheit, ou 38 degrés Celcius, contrôlée sous le bras pour les bébés de plus de 2 mois, ou rectale pour les moins de 2 mois
- Un écoulement fréquent au niveau des yeux
- Des difficultés à respirer
- Sa peau jaunit ou vous constatez une rougeur cutanée qui s'aggrave
- Des rougeurs, des écoulements ou une mauvaise odeur au niveau du cordon ombilical ou de la circoncision
- S'il prend le sein moins fréquemment ou s'il prend moins le biberon pendant plus de huit heures
- Des vomissures vertes ou des vomissements après plus de deux allaitements consécutifs
- Des difficultés à se réveiller
- Moins de 6 à 8 couches mouillées en 24 heures
- Des modifications de l'apparence des selles, une constipation ou une diarrhée
- Une toux qui persiste, particulièrement en cas d'éruption cutanée
- Un faible contrôle musculaire du bébé qui donne l'impression d'être mou quand on le prend
- Des convulsions ou des crispations

If you have any concerns about your baby's health, call your baby's doctor, family doctor or health clinic. Never be shy about calling the doctor's office. Often talking to your baby's doctor or nurse will help you decide if your baby needs medical care. When you call the doctor, have written down:

- What is wrong with your baby and when the signs started
- Your baby's temperature
- Any allergies your baby has to food, medicine or environment
- The name and phone number of your pharmacy

Keep a paper and pen nearby to write down the doctor's instructions.

2007 – 1/2012 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. Wexner Medical Center at The Ohio State University, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Si vous avez des inquiétudes sur la santé de votre bébé, appelez votre pédiatre, votre médecin de famille ou une clinique. N'hésitez jamais à appeler le cabinet du pédiatre. Avoir des contacts fréquents avec le pédiatre ou l'infirmière de votre bébé vous aidera à prendre des décisions relatives aux soins de votre bébé. Avant d'appeler le pédiatre, inscrivez sur un papier :

- Qu'est-ce qui ne va pas avec votre bébé et quand est-ce que les signes sont apparus
- La température de votre bébé
- Toutes les allergies de votre bébé à la nourriture, à un médicament ou un environnement
- Le nom et le numéro de téléphone de votre pharmacie

Ayez un papier et un stylo à proximité du téléphone pour noter les instructions du pédiatre.

2007 – 1/2012 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. Wexner Medical Center at The Ohio State University, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment

When Should I Call My Baby's Doctor? French.